Autorenverzeichnis/Author Index

Abed N. M., Nashed B., Fahmy H. M., Azzem M. A. Ionization and electroreduction of some benzthiazin-4-one azodyes, 599

Ahluwalia V. K., Kaila N., Singh S. B. Revision of the structure of the compound obtained by the reaction of 2-hydrazino-4-methylquinoline and acetylacetone, 875

Akcamur Y., Penn G., Ziegler E., Sterk H., Kollenz G., Peters K., Peters E.-M., Schnering H. G. v. Reaktionen mit cyclischen Oxalylverbindungen, XXIV. Zur Reaktion von 4-Benzoyl-5-phenyl-furan-2,3-dion mit Phenylhydrazonen bzw. Phenylhydrazin, 231

Altabef A. B., s. *Meoni G. S. B.*

Arenas J. F., s. *Fernández-Gómez M.*

Arif A., s. *Utvary K.*

Azzem M. A., s. *Abed N. M.*

Bahle J., s. *Wachtel E.*

Baran E. J. Mittlere Schwingungsamplituden der Seleninylhalogenide, 1107

Bauböck G., s. *Jacobasch H.-J.*

Baur W. H., Halwax E., Völlenkle H. Comparison of the crystal structures of sodium orthosilicate, Na_4SiO_4, and sodium orthogermanate, Na_4GeO_4, 793

Beckett A. H., s. *Raisi A.*

Bendig J., s. *Siegmund M.*

Benedix R., s. *Hennig H.*

Bernáth G., s. *Csukonyi K., Perjéssy A.*

Berner H., Vyplel H., Schulz G., Schneider H. Chemie der Pleuromutiline, 11. Mitt.: Konfigurationsumkehr der Vinylgruppe am Kohlenstoff 12 durch reversible Retro-En-Spaltung, 1073

Billing R., s. *Hennig H.*

Binenfeld Z. J., s. *Karljiković K. D.*

Blachnik R., Dreisbach H. A. Neue quaternäre Chalkogenhalogenide, 305

Blaha H., s. *Quint R.*

Bodenteich M., Inselbacher H., Kroiss P., Griengl H. N-(Arylaminosulfonyl)-benzamide, 123

Boller H., s. *Quint R.*

Borrás J., s. *Ortiz R.*

Bottari E., Porto R. Protolytic equilibria in aqueous sodium deoxycholate solutions, 589

Brandán S. A., s. *Meoni G. S. B.*

Brandt R., Müller-Buschbaum H. Zur Kristallchemie der tetragonalen Wolframbronze: $Ba_6FeNb_9O_{30}$, 1239

Brožek V., s. *Hájek B.*

Buchbauer G., s. *Nikiforov A., Spreitzer H.*

Bucher G., Ellner M., Sommer F., Predel B. Zur Gültigkeit des *Zen*schen Gesetzes und des *Le Chatelier*schen Prinzips in einigen Phasen mit *Grimm-Sommerfeld*-Bindung, 1367

Bugajski J., Gamsjäger H. Dissolution kinetics of MgO in aqueous acidic media, 763

Burckhardt H., s. *Kuhl P.*

Casado J., Castro A., Lorenzo F. M., Meijide F. Kinetic studies on the formation of N-nitroso compounds, XI. Nitrosation of dimethylamine by nitrite esters in aqueous basic media, 335

Castro A., s. *Casado J.*

Cheda J. A. R., Westrum E. F., Jr., Grønvold F. Heat capacity and other thermodynamic properties of $CoTe_2$ from 5 to 1030 K and of $CoTe_{2.315}$ from 300 to 1040 K, 1223

Chetkarov M., Karagyozov L., Nikolov T., Kolev D. Kinetics of enzymatic hydrolysis of sodium carboxymethylcellulose with different degrees of polymerization by cellulase, 1021

Colacio-Rodríguez E., Salas-Peregrin J. M., Moreno-Carretero M. N. Metal ions-purine interactions: Dichlorogold(III) complexes of some theophylline derivatives, 941

Cowley A., s. *Utvary K.*

Csukonyi K., Lázár J., Bernáth G., Hermecz I., Mészáros Z. Saturated heterocycles, LXXV. Preparation of tetracyclic thiophene derivatives with bridgehead nitrogen. Synthesis of polymethylenethieno[2,3—*d*]dihydropyrrolo-, tetrahydropyrido- and tetrahydroazepino[1,2—*a*]pyrimidin-4-ones and -4-thiones, 1295

Cyvin S. J. The number of *Kekulé* structures of hexagon-shaped benzenoids and members of other related classes, 33

Czakis-Sulikowska D. M., Malinowska A. Complex formation studies on Ho (III) and Lu(III) with 1-(2-pyridylazo)-2-naphthol (PAN) in alcohol-water solutions, 437

Czakis-Sulikowska D. M., Radwanska-Doczekalska J. Complex compounds of 2,2'-bipyridyl with some rare-earth bromides, 783

Dabrowski A. An isotherm equation for adsorption from binary liquid mixtures on solids involving surface heterogeneity and differences in molecular seizes of components and its numerical verification, 139

Danikiewicz W., Jaworski T., Kwiatkowski S. 7-Substituted prostaglandin analogues. A new synthetic approach, 1177

Danikiewicz W., Jaworski T., Kwiatkowski S. Interpretation of C-13 NMR spectra of 7-substituted 9,11-dideoxy-PGF_1 analogues and their synthons, 1279

Doménech J., Rivera S. Electrical conductivities of sodium bromide in formamide-water mixtures, 167

Dreisbach H. A., s. *Blachnik R.*

Durchschlag H., s. *Zipper P.*

Dworczak R., s. *Schmidt H.-W.*

Edwards J. G., s. *Srinivasa R. S.*

Effenberger H. $PbCu_3(OH)(NO_3)(SeO_3)_3 \cdot \frac{1}{2} H_2O$ und $Pb_2Cu_3O_2(NO_3)_2(SeO_3)_2$: Synthese und Kristallstrukturuntersuchung, 1099

Effenberger H., Pertlik F. Die Kristallstrukturen der Kupfer(II)-oxo-selenite $Cu_2O(SeO_3)$ (kubisch und monoklin) und $Cu_4O(SeO_3)_3$ (monoklin und triklin), 887

Eichberger G., Griengl H., Paar W. Zur Reaktion von 1,3-Oxazolidinen mit Dicarbonsäurederivaten, 545

Eichberger G., Hayden W., Schwarz W., Griengl H. 5-Ethylthiomethyl- und 5-Ethylsulfonylmethylpyrimidine, 385

El-Gyar S. A., s. *Mahmoud M. R.*

Elgemeie G. E. H., s. *Osman S. A. M.*

Elghandour A. H. H., s. *Elmoghayar M. R. H.*

Elliot J. E., s. *Kurzer F.*

Ellner M., s. *Bucher G.*

Elmoghayar M. R. H., Elghandour A. H. H. Reactions with β-cyanoethylhydrazine, III. A new approach for the synthesis of substituted 3,5-diaminopyrazole and 1,2,4-triazoles, 201

Elnagdi M. H., s. *Osman S. A. M.*

Ettmayer P., s. *Lengauer W.*

Fabian W. [4+2]Cycloadditionen an Chinone. Eine theoretische Untersuchung zur Regioselektivität, 1057

Fadini A., Schnepel F.-M. Ein neues programmierbares Schema zur Bestimmung der Molekülgeometrie, 897

Fahmy H. M., s. *Abed N. M.*

Falk H., Flödl H. Beiträge zur Chemie der Pyrrolpigmente, 65. Mitt.: 2,3,7,8,12,13,17,18,22,23-Decamethyl-1,24,25,29-tetrahydro-27*H*-pentapyrrin-1,24-dion, der erste Vertreter linearer Pentapyrrole. Eigenschaften und Reaktionsweisen, 57

Falk H., Hinterberger A. Beiträge zur Chemie der Pyrrolpigmente, 67. Mitt.: Bilatriene-abc und 2,3-Dihydrobilatriene-abc in micellaren Systemen, 1081

Falk H., Vormayr G., Margulies L., Metz S., Mazur Y. A linear dichroism study of pyrromethene-, pyrromethenone-, and bilatriene-a,b,c derivatives, 849

Falk H., s. *Wagner U. G.*

Federspiel P., s. *Ganster F.*

Fernández-Gómez M., Lopez-González J. L., Arenas J. F. The icosahedral potential and its applications to the study of the anharmonic effects in the overtone levels of the degenerate vibrations of molecules with I_h symmetry, 985

Fjellvåg H., Kjekshus A. Structural properties of $VP_{1-x}As_x$; $0.00 \leqslant x \leqslant 1.00$, 773

Fleischhacker W., Haslinger E., Müller-Uri C. Hydroxy- und Epoxyderivate von Arecolin, 859

Flemr V., s. *Hájek B.*

Flo C., s. *Pindur U.*

Flödl H., s. *Falk H.*

Fouda A. S. Influence of some thiophene derivatives on the corrosion of iron in nitric acid solution, 159

Freyer W., Minh L. q. Synthese von Metallkomplexen des Tetra-(2,3-anthra)-tetraazaporphins und Vergleich ihrer Elektronenabsorptionsspektren mit denen anderer anellierter Tetraazaporphinsysteme, 475

Fröhlich H., s. *Stanetty P.*

Fu S., Li S., Vogl O. Functional polymers, LX. Syntheses of mono- and di(4-methoxy)benzotriazole-substituted 2,4-dihydroxyaceto (or benzo)-phenones, 805

Galle K., s. *Utvary K.*

Gamsjäger H., s. *Bugajski J.*

Gangadevi T., Rao M. S., Kutty T. R. N. Kinetics of thermal decomposition of barium zirconyl oxalate, 21

Ganster F., Höttinger J., Müller N., Federspiel P., Potschka M., Schlederer M., Wolschann P. The use of Apple II microcomputer as kinetic laboratory data acquisition system, 1145

Gottardi W., Koller W. Die Konzentration an freiem molekularem Jod in wäßrigen PVP-jodhaltigen Systemen und ihre Änderung mit der Temperatur, 1011

Goworek J., Jaroniec M., Ościk J., Kusak R. A simple method for determining the multilayer effects in adsorption of alcohols on silica gel, 579

Greger H., s. *Hofer O.*

Griengl H. s. *Bodenteich M., Eichberger G.*

Grimmer A.-R., Müller W. Si-29-MAS-NMR-Untersuchungen an binären Kaliumsilicatgläsern. Ein Beitrag zur Interpretationskontroverse, 799

Grin J. N. Ein Aufbaumodell für „Chimney-Ladder"-Strukturen, 921

Grønvold F., s. *Cheda J. A. R.*

Grzejdziak A., s. *Ignaczak M.*

Gustav K., Storch M. Vibronisches Spektralverhalten von Molekülen: Theoretische Analyse der Phosphoreszenz von Naphthalen und seiner perdeuterierten Verbindung, 1007

Gutierrez-Valero D., s. *López-Garzón R.*

Gutmann V., Kantner W., Linert W. Mechano-elektrochemische Effekte, III. Verschiebung des elektrochemischen Potentials bei plastischer Deformation von Kupfer in nichtwäßrigen Elektrolyten, 739

Hájek B., Karen P., Brožek V. Studies on hydrolyzable carbides, XXII. The carbothermal reduction of scandium oxide Sc_2O_3, 1271

Hájek B., Kohout V., Flemr V. Note on the thermodynamic instability of M_4C_3-type carbides of gallium group metals, 1157

Halwax E., Völlenkle H. Die Kristallstruktur des Hexakaliumdigermanats, $K_6Ge_2O_7$, 969

Halwax E., s. *Baur W. H.*

Hammam A. M., s. *Mahmoud M. R.*

Haslinger E., s. *Fleischhacker W.*

Hassler K. Darstellung funktioneller Polysilane: Tris(chlordimethylsilyl)-methylsilan $MeSi(SiMe_2Cl)_3$, 613

Hausensteiner A., s. *Spreitzer H.*

Häusler J. Notiz zur [1,2]-Heterorest-Verschiebung in einem Sulfamidin, 269

Hayden W., s. *Eichberger G.*

Heinisch G., Holzer W., Nawwar G. A. Zur Reaktivität 4,5-ungesättigter 3-Oxoalkannitrile gegenüber *Michael*-Acceptoren, 247

Hengge E., Kalchauer W., Schrank F. Darstellung und Eigenschaften einiger Hexamethylcyclohexasilanderivate, 1399

Hengge E., Mitter F. K. Oligosilyl-Quecksilber und -Alkalimetallverbindungen, 721

Hennig H., Billing R., Benedix R. Dreiparameterbeschreibung von Lösungsmitteleinflüssen auf Ionenpaar-Charge-Transfer-Banden, 51

Herak R., s. *Prelesnik B.*

Hermann W., Sobczak R. Falling sphere viscosimetry in gravitational and magnetic fields, 753

Hermecz I., s. *Csukonyi K.*

Herrmann R., Pombeiro A. J. L. Study on the reactions of the dinitrogen complexes *trans*-$[M(N_2)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo or W) with ethyldiazoacetate: Formation of an azo compound and of a phosphazene species, 429

Hinterberger A., s. *Falk H.*

Hochmuth P., s. *Wolfbeis O. S.*

Hofer O., Szabó G., Greger H. 2-Hydroxy-4-methoxy-*trans*-cinnamic acid as a precursor of herniarin in *Artemisia dracunculus*, 1219

Holzer W., s. *Heinisch G.*

Hondrellis V., s. *Kabanos T.*

Höttinger J., s. *Ganster F.*

Ibrahim S. A., s. *Mahmoud M. R.*

Ignaczak M., Grzejdziak A. Characteristic of the $Ag(bipy)_2^{2+}/Ag(bipy)_2^{2+}$ and $Ag(phen)_2^{2+}/Ag(phen)_2^{2+}$ systems in acetonitrile, 1123

Inselbacher H., s. *Bodenteich M.*

Ipser H., Terzieff P. Lattice parameters, magnetic properties, and melting behaviour of the ternary NiAs-phase in the Ni—Sb—Te system, 729

Jacobasch H.-J., Bauböck G., Schurz J. Vergleichende Messungen des Zeta-Potentials von Faserstoffen durch Elektroosmose und Strömungsstrom-/Strömungspotential, 1133

Jäger E.-G., s. *Müller K.*

Jakubke H.-D., s. *Kuhl P.*

Jaroniec M., Piotrowska J. Isotherm equations for adsorption on heterogeneous microporous solids, 7

Jaroniec M., s. *Goworek J.*

Jaworski J. S. Entropy of electrochemical formation of *p*-semiquinones in dimethylformamide, 151

Jaworski T., s. *Danikiewicz W.*

Jerkovich G., s. *Kosáry J.*

Jimenez H., s. *Ortiz R.*

Jirovetz L., s. *Nikiforov A.*

Johne S., s. *Süsse M.*

Jordis U. Synthese von "Dithio-Oxolinsäure", 1339

Kabanos T., Perlepes S. P., Hondrellis V., Tsangaris J. M. Coordination compounds of N-(2-aminophenyl)- and N-(3-aminophenyl)pyridine-2'-carboxamide with cobalt(II) and cobalt(III). The nature of amide deprotonation induced by cobalt(III) in acidic *pH*, 955

Kaila N., s. *Ahluwalia V. K.*

Kalchauer W., s. *Hengge E.*

Kalchhauser H., Wolschann P. Investigation of dynamic equilibria using NMR-spectroscopy, III. Saturation transfer experiments on the hydration of pyridine-4-carbaldehyde, 841

Kantner W., s. *Gutmann V.*

Kapl G., s. *Wagner U. G.*

Karagyozov L., s. *Chetkarov M.*

Karen P., s. *Hájek B.*

Karljiković K. D., Stanković B. S., Milosavljević E. B., Binenfeld Z. J. Determination of acidic constants of some phenyl-hydroxy-iminoethyl quinolinium compounds, 661

Kasztreiner E., s. *Kosáry J.*

Katz M., s. *Soria M. L. G. d.*

Katz N. E., s. *Meoni G. S. B.*

Kjekshus A., s. *Fjellvåg H.*

Klapötke T., s. *Köpf H.*

Knittel D. Über die Reaktivität des Schwefeldioxid-Radikalanions gegenüber reduzierbaren Substraten, 359

Knittel D. Amino- und hydroxylaminosubstituierte α-Azidozimtsäureester und α-Aminozimtsäureester durch kathodische Reduktion ungesättigter Nitroazidoester. Elektrolytische Untersuchungen an Vinylaziden, 4. Mitt., 491

Knittel D. Kathodische Reduktion aliphatischer und olefin- und carbonylaktivierter Azide. Elektrolytische Untersuchungen an Vinylaziden, 5. Mitt., 679

Knittel D., Rao V. S. Electrolytic reduction of azidochalcones. Electrolytic investigations on vinyl azides, VI, 1185

Knollmüller M., Noe C. R., Oberhauser B. Die Acetalgruppe, 1. Mitt.: Acetale von Halogenmethyl-aryl-carbinolen, 407

Knollmüller M., s. *Noe C. R.*

Knotz H., Zbiral E. Glykosylazide als Ausgangsbasis zur Gewinnung von Nucleosidanalogen, 3. Mitt.: Synthese von Alkylaminotetrazol- und Uretidinonnucleosiden, 1337

Kohout V., s. *Hájek B.*

Kolev D., s. *Chetkarov M.*

Kollenz G., s. *Akcamur Y.*

Koller W., s. *Gottardi W.*

Köpf H., Klapötke T. Bis(η^5-cyclopentadienyl)-brenzkatechinato-titan(IV). Ein oligomerer Mehrkernkomplex, 1003

Kosáry J., Jerkovich G., Pólos K., Kasztreiner E. Studies in the field of pyridazine compounds, XX. 6*H*-1,2,4-Triazino[4,3—*b*]1,3,4-triazolo[3,4—*f*]pyridazine, a novel angular ring system, 867

Kostiner E., s. *Rapposch M.*

Kostova I., Ognyanov I. Determination of the stereochemistry of rotenoids by H-1 NMR spectroscopy in C_6D_6, 689

Kowalska T. Chromatographic determination of solubility of low soluble substances. The physicochemical basis, 471

Kratky C., s. *Wagner U. G.*

Kriechbaum M., s. *Zipper P.*

Krois D., Lehner H. Chiral discrimination in biliverdin (*S*)-amino acids, II. Structural variations of the amino acid functional groups, 1205

Kroiss P., s. *Bodenteich M.*

Kubjacek M., s. *Utvary K.*

Kuhl P., Zacharias U., Burckhardt H., Jakubke H.-D. On the use of carboxamidomethyl esters in the protease-catalyzed peptide synthesis, 1195

Kulpe S., Seidel I. Das Pyren und der Einfluß von Substitution oder Komplexierung auf seine Geometrie und Packung im kristallinen Zustand, 295

Kurzer F., Patel J. N., Elliot J. E., Mills F. B. Diisophorone and related compounds, XVI. C-13 Nuclear magnetic resonance spectra of 5,11-bisdiisophorones, 205

Kusak R., s. *Goworek J.*

Kutty T. R. N., s. *Gangadevi T.*

Kuźnik B., Wójcik E. Solvent extraction of rare earth metal ions with 1-(2-pyridylazo)-2-naphthol (*PAN*), 573

Kwiatkowski S., Langwald M. A new convenient synthesis of Δ^2-isoxazolines, 1091

Kwiatkowski S., s. *Danikiewicz W.*

Langwald M., s. *Kwiatkowski S.*

Lázár J., s. *Csukonyi K., Perjéssy A.*

Lehner H., s. *Krois D.*

Lengauer W., Ettmayer P. Preparation and properties of compact cubic δ-NbN, 275

Lengauer W., Ettmayer P. Lattice parameters and thermal expansion of δ-VN_{1-x} from 298–1 000 K, 713

Lex J., s. *Scharf J.*

Li S., s. *Fu S.*

Linert W., s. *Gutmann V.*

López-Garzón R., Gutierrez-Valero D., Nogueras-Montiel M., Sánchez-Rodrigo A., Valenzuela-Calahorro C. Pd(II) and Au(III) complexes of some 4-glucopyranosylamino-5-nitroso-6-oxo-pyrimidine derivatives, 905

Lopez-González J. L., s. *Fernández-Gómez M.*

Lorenzo F. M., s. *Casado J.*

Löwis of Menar M. v., s. *Siegmund M.*

Mahmoud M. R., Hammam A. M., El-Gyar S. A., Ibrahim S. A. Coordination compounds of heterocyclic azo derivatives, III. Co(II), Ni(II), and Cu(II) complexes of some arylazo-4,5-diphenylimidazole derivatives, 313

Majdan M., Sadowski P. Nitrate ion association with Nd, 949

Malinowska A., s. *Czakis-Sulikowska D. M.*

Margulies L., s. *Falk H.*

Marinas J. M., s. *Sinisterra J. V.*

Mayer K. K., Prior S., Wiegrebe W. Elektronenstoß-induzierte Spaltung der Stilben-Doppelbindung, 1. Teil: Synthese von Stilbenen mit *o*-ständiger C-Seitenkette und deuterierten Analogen, 511

Mayer K. K., Prior S., Wiegrebe W. Elektronenstoß-induzierte Spaltung der Stilben-Doppelbindung, 2. Teil: Untersuchungen zum Mechanismus, 533

Mazur Y., s. *Falk H.*

McNaney J. A., Zimmerman F. M., Zimmerman H. K. Influence of solvent polarity upon salt solubilities, III. Solubilities of KCl in water/tetrahydrofuran at 25° C, 1

Meijide F., s. *Casado J.*

Meoni G. S. B., Brandán S. A., Altabef A. B., Katz N. E. Synthesis and spectral properties of mixed binuclear complexes derived from the ion pentacyano(4,4′-bipyridine)ferrate(II), 1263

Mercè R., Pujol M., Ribó J. M., Trull F. R., Valera G., Vallès A. Configurational and conformational aspects of some 5-methylenedisubstituted-3-pyrrolin-2-ones, 631

Merslavič M., Stanovnik B., Tišler M. Transformations of N-heteroarylformamidines and N-heteroarylformamidine oximes. New syntheses and transformations of oxazolo[5,4—*c*]pyridazines, 221

Mészáros Z., s. *Csukonyi K.*

Metz S., s. *Falk H.*

Mikenda W. IR Study of cation effects on the O–D stretching frequencies of isotopically dilute HDO in aqueous salt solutions, 977

Mikula A. Thermodynamic properties of liquid bismuth-lead alloys, 1379

Mills F. B., s. *Kurzer F.*

Milosavljević E. B., s. *Karljiković K. D.*

Minh L.q., s. *Freyer W.*

Mitter F. K., s. *Hengge E.*

Moreno-Carretero M. N., s. *Colacio-Rodríguez E.*

Müller K., Seidel D., Jäger E.-G. H-1 und C-13 NMR-Spektren von Platin(II)-Komplexen *Schiff*scher Basen mit *cis*-(N_2O_2)-Donoreinheit im Vergleich mit Nickel(II)- und Organocobalt(III)-Komplexen, 351

Müller N., s. *Ganster F.*

Müller W., s. *Grimmer A.-R.*

Müller-Buschbaum H., s. *Brandt R., Schiffler S., Waburg M.*

Müller-Uri C., s. *Fleischhacker W.*

Nashed B., s. *Abed N. M.*

Nawar G. A. M., s. *Osman S. A. M.*

Nawwar G. A., s. *Heinisch G.*

Neish W. J. P., s. *Rodgers G. R.*

Nikiforov A., Jirovetz L., Buchbauer G. Die geruchsintensivsten Inhaltsstoffe des ostindischen Sandelholzöls, 827

Nikiforov A., Jirovetz L., Buchbauer G. (±)-Patchoulol, der dominante Geruchsträger des Patchouliöls (singapur.), 1095

Nikokavouras J., s. *Perkizas G.*

Nikolov T., s. *Chetkarov M.*

Noe C. R., Knollmüller M., Wagner E. Ein einfaches Verfahren zur Herstellung anellierter Thiophene, 621

Noe C. R., s. *Knollmüller M., Schönauer K. J.*

Nogueras-Montiel M., s. *López-Garzón R.*

Nowotny H., s. *Rapposch M.*

Oberhauser B., s. *Knollmüller M.*

Ognyanov I., s. *Kostova I.*

Ortiz R., Borrás J., Perelló L., Jimenez H. Ternary complexes of cimetidine and phenobarbital with Cu(II) in methanolic solution, 443

Oscik J., s. *Goworek J.*

Osman S. A. M., Elgemeie G. E. H., Nawar G. A. M., Elnagdi M. H. Activated nitriles in heterocyclic synthesis: Synthesis of 6-thiophen-2-yl- and 6-furan-2-ylthiazolo[2,3—*a*]pyridine,105

Paar W., s. *Eichberger G.*

Patel J. N., s. *Kurzer F.*

Payasi A. P., s. *Sharma V. K.*

Penn G., s. *Akcamur Y.*

Perelló L., s. *Ortiz R.*

Perjéssy A., Lázár J., Bernáth G. Saturated heterocycles, LXVIII. Application of the *Seth-Paul-Van Duyse* equation, IX. The C=O stretching frequencies and substituent effects in 5,6-polymethylenepyrimidin-4(3*H*)-one derivatives, 97

Perkizas G., Nikokavouras J. Substituent effect on the chemiluminescence quantum efficiency of some acridan derivatives. Chemiluminescence quenching, 89

Perlepes S. P., s. *Kabanos T.*

Pertlik F. $[Cl_3Cu(I)—As(III)O_3]$: Ein kristallchemisch neues Bauelement in der Struktur des $Pb_6Cu(AsO_3)_2Cl_7$, 1257

Pertlik F. Hydrothermalsynthese und Kristallstruktur des Diarsenates $PbCuAs_2O_7$, 1343

Pertlik F., s. *Effenberger H., Scharf J.*

Peters E.-M., s. *Akcamur Y.*

Peters K., s. *Akcamur Y.*

Piasecki A. Acetals and ethers, XVII. One- or two-step syntheses of 2-(2-Alkoxyethyl)-1,3-dioxycyclanes, 1287

Pindur U., Flo C. Regioselective, mild acylation of 2-methylindole with di- and trialkoxycarbenium tetrafluoroborates. A simple procedure for deriving 3-acyl-2-methylindoles and 3-methoxycarbonyl-2-methylindole, 375

Pindur U., Schiffl E. Regioselektive Zinn(II)chlorid-induzierte N-Aralkoxy-alkylierung am 2,3-Dimethylindol, 1461

Piotrowska J.; s. *Jaroniec M.*

Poleti D., s. *Prelesnik B.*

Pólos K., s. *Kosáry J.*

Pombeiro A. J. L., s. *Herrmann R.*

Porto R., s. *Bottari E.*

Postigo M. A., s. *Soria M. L. G. d.*

Potschka M., s. *Ganster F.*

Predel B., s. *Bucher G.*

Prelesnik B., Herak R., Stojaković D., Poleti D. A dimeric copper complex with phthalic acid and 2,2'-bipyridine, 47

Prignano A. L., Trogler W. C. Silica anchored bis(trialkylphosphine) platinum oxalate. A photogenerated catalyst for olefin hydrosilation, 617

Prior S., s. *Mayer K. K.*

Pujol M., s. *Mercè R.*

Pustelnik N. The influence of methanol and ethanol on the efficiency of extraction of lanthanides(III) with 1-(2-pyridylazo)-2-naphthol (*PAN*) in carbon tetrachloride, 933

Quint R., Boller H., Blaha H. Zur Kenntnis der wasserhaltigen schichtförmigen Alkali- und Erdalkali-Thiochromite der Formel $M_x(H_2O)_yCrS$, 1387

Radwanska-Doczekalska J., s. *Czakis-Sulikowska D. M.*

Raisi A., Beckett A. H. Identification and quantitative analysis of phendimetrazine and some of its metabolites in biological fluids, 1047

Rao M. S., s. *Gangadevi T.*

Rao V. S., s. *Knittel D.*

Rapposch M., Kostiner E., Wayne S. F., Nowotny H. The crystal structure of the molybdenum cementite $Mo_{12}Fe_{22}C_{10}$ (ξ-phase) (Erratum), 55

Ribó J. M., Serra X. Reactivity of pyrrole pigments, VII. Autoxidation of model compounds for 5(2*H*)-dipyrrylmethanones and 3,4-dihydro-5(1*H*)-pyrromethenones, 185

Ribó J. M., s. *Mercè R.*

Rivera S., s. *Doménech J.*

Rodgers G. R., Neish W. J. P. Linear expanded xanthines, 879

Rossmanith K., Unfried P. Reindarstellung von Erbiumoxid durch *Craig*-Verteilung: *Craig*-Verteilung von Seltenerdelementen im System Tributylphosphat-Salpetersäure, 12. Mitt., 1165

Rozwadowski M., s. *Wójsz R.*

Sadeghi M. T., s. *Saljoughian M.*

Sadowski P., s. *Majdan M.*

Sahai R., s. *Singh V.*

Sakuntala E. N., Shanker R. Reactions of tin tetraacetate with benzothiazolines, 607

Salas-Peregrin J. M., s. *Colacio-Rodriguez E.*

Saljoughian M., Sadeghi M. T. An improved procedure for the synthesis of *p*-(dichlorosulfamoyl) benzoic acid (halazone), 553

Sánchez-Rodrigo A., s. *López-Garzón R.*

Sauter F., s. *Stanetty P.*

Scharf J., Schlögl K., Weissensteiner W. [Bis(2,4-dimethyl-6-*tert.* butylphenyl)-ketone]chromium tricarbonyl—stable torsional isomers, 883

Scharf J., Schlögl K., Widhalm M., Lex J., Tückmantel W., Vogel E., Pertlik F. Stereochemistry of planarchiral compounds, X. X-Ray crystal structures and absolute chiralities of bridged [10]- and [14]anulenes, 255

Schiffl E., s. *Pindur U.*

Schiffler S., Müller-Buschbaum H. Zwei neue Oxopalladate: $BaPdNd_2O_5$ und $BaPdSm_2O_5$ mit planar koordinierten Pd^{2+}-Ionen, 465

Schlederer M., s. *Ganster F.*

Schlögl K., Werner A., Widhalm M. Biphenyl tricarbonylchromium complexes, X. The influence of the tricarbonylchromium moiety modified by CO-exchange on the rotational barriers and population of stereoisomeric dimethyl-dihydrophenanthrene complexes, 1423

Schlögl K., s. *Scharf J.*

Schmidt H.-W., Dworczak R. Synthese neuer mono- und dihalogenierter Salicylsäurederivate, 393

Schneider H., s. *Berner H.*

Schnepel F.-M., s. *Fadini A.*

Schnering H. G. v., s. *Akcamur Y.*

Schoene K., Steinhanses J. Measurement of gas phase reactions using automated headspace gaschromatography, 1027

Schönauer K. J., Walter P., Noe C. R. Absolute configuration of secondary alcohols determined by gas chromatography, 127

Schrank F., s. *Hengge E.*

Schulz G., s. *Berner H.*

Schurz J., s. *Jacobasch H.-J.*

Schwarz W., s. *Eichberger G.*

Seidel D., s. *Müller K.*

Seidel I., s. *Kulpe S.*

Serra X., s. *Ribó J. M.*

Shanker R., s. *Sakuntala E. N.*

Sharma K., s. *Sharma V. K.*

Sharma R. K., Singh S. K., Sindhwani S. K. Potentiometric studies on the chelation behaviour of lanthanons with 3-hydroxy-2-methyl-1,4-naphthoquinone (*HMNQ*), 459

Sharma V. K., Sharma K., Payasi A. P. Oxidation of *L*-tyrosine by vanadium(V) in presence of sulphuric acid, 1041

Siegmund M., Bendig J., Löwis of Menar M. v., Wilda J. Spektroskopisches und photophysikalisches Verhalten von Acrid-9-onen im Lösungsmittelsystem Benzen/Methanol, 1113

Sindhwani S. K., s. *Sharma R. K.*

Singh G., s. *Vasisht S. K.*

Singh S. B., s. *Ahluwalia V. K.*

Singh S. K., s. *Sharma R. K.*

Singh V., Sahai R. K.

Singh V., Sahai R. Interaction of some biomolecules with π- and σ-acceptors, 345

Sinisterra J. V., Marinas J. M. $Ba(OH)_2$ as catalyst in organic reactions, IV. Reaction between coumarin and diethyl malonate, 111

Sobczak R., s. *Hermann W.*

Sommer F., s. *Bucher G.*

Soria M. L. G. d., Zurita J. L., Postigo M. A., Katz M. Magnetic susceptibilities of binary non-electrolyte mixtures, 421

Spreitzer H., Hausensteiner A., Buchbauer G. Synthese eines neuen Norpatchoulenolanalogons, 1405

Srinivasa R. S., Edwards J. G. Vaporization of $In_2Te_3(s)$, 695

Stadlbauer W. Methoden zur Darstellung von 4-Azido-2(1*H*)-chinolonen, 1305

Stanetty P., Fröhlich H., Sauter F. Regioselektive Reduktion von cyclischen Thienospiroanhydriden, 69

Stanković B. S., s. *Karljiković K. D.*

Stanovnik B., s. *Merslavič M.*

Steinhanses J., s. *Schoene K.*

Sterk H., s. *Akcamur Y.*

Stojakovic D., s. *Prelesnik B.*

Storch M., s. *Gustav K.*

Süsse M., Johne S. Chinazolincarbonsäuren, 5. Mitt.: Synthese von 1,4-Dihydrochinazolin-4-on-1-yl-essigsäuren und Estern, 499

Szabó G., s. *Hofer O.*

Terzieff P., s. *Ipser H., Wachtel E.*

Tišler M., s. *Merslavič M.*

Trogler W. C., s. *Prignano A. L.*

Trull F. R., s. *Mercè R.*

Tsangaris J. M., s. *Kabanos T.*

Tückmantel W., s. *Scharf J.*

Ueno Y. The polarographic reduction of 5*H*-benzo[a]phenothiazin-5-ones in non-aqueous media, 327

Unfried P., s. *Rossmanith K.*

Utvary K., Galle K., Cowley A., Arif A. Fluordiazadiphosphetidine, 17. Mitt.: Die Reaktion von 2,2,2,4,4,4-Hexafluor-1,3-dimethyl-1,3,2λ^5,4λ^5-diazadiphosphetidin und von 2,2,2,4,4-Pentafluor-4-methoxy-1,3-dimethyl-1,3,2λ^5,4λ^5-diazadi-phosphetidin mit Lithium-1,1,1-trimethyl-N-(trimethylsilanyl)-silanamid, 1245

Utvary K., Kubjacek M. Fluordiazadiphosphetidine, 16. Mitt.: Die Reaktion von 2,2,2,4,4,4-Hexafluor-1,3-dimethyl-1,3,2λ^5,4λ^5-diazadiphosphetidin mit Ammoniak und primären Aminen, 287

Valenzuela-Calahorro C., s. *López-Garzón R.*

Valera G., s. *Mercè R.*

Vallès A., s. *Mercè R.*

Vasisht S. K., Singh G., Verma P. K. Reactions of bis(trimethylsilyl)amine and -amide with $MoOCl_4$, 177

Verma P. K., s. *Vasisht S. K.*

Vogel E., s. *Scharf J.*

Vogl O., s. *Fu S.*

Völlenkle H., s. *Baur W. H., Halwax E.*

Vormayr G., s. *Falk H.*

Vyplel H., s. *Berner H.*

Waburg M., Müller-Buschbaum H. Ein neues metastabiles Zinkoxovanadat: $Zn_4V_2O_9$, 131

Wachtel E., Terzieff P., Bahle J. Aufbau und magnetische Eigenschaften manganreicher Cu—Mn- und Mn—Sn-Legierungen, 1349

Wagner E., s. *Noe C. R.*

Wagner U. G., Kratky C., Falk H., Kapl G. Synthese und Röntgenkristallstruktur eines (15*E*)-Dihydrobilatrien-abc-Derivats, 1413

Walter P., s. *Schönauer K. J.*

Wayne S. F., s. *Rapposch M.*

Weissensteiner W., s. *Scharf J.*

Werner A., s. *Schlögl K.*

Westrum E. F., Jr., s. *Cheda J. A. R.*

Widhalm M., s. *Scharf J., Schlögl K.*

Wiegrebe W., s. *Mayer K. K.*

Wilda J., s. *Siegmund M.*

Wilfing R., s. *Zipper P.*

Wittmann H., Ziegler E. Untersuchungen über das unterschiedliche Verhalten von N- und S-Methyliden gegenüber elektrophilen Reaktionspartnern, 821

Wittmann H., s. *Ziegler E.*

Wojcik E., s. *Kuźnik B.*

Wojsz R., Rozwadowski M. Determination of microporous adsorbents heterogeneity with the condensation approximation method, 453

Wolfbeis O. S., Hochmuth P. The fluorescence of ellagic acid and its borax complex, 369

Wolschann P., s. *Ganster F., Kalchhauser H.*

Zacharias U., s. *Kuhl P.*

Zaleska B. Polycarbonyl heterocycles, III. Synthesis of 2,3-furanodione derivatives by ring transformation of thiazolidine-4,5-dione derivatives, 671

Zbiral E., s. *Knotz H., Zsoldos-Mády V.*

Ziegler E., Wittmann H. Über Reaktionen mit Betainen, 21. Mitt.: Über die Bildung von Formazylverbindungen durch Kupplung von S-Betainen mit 4-Nitrobenzol-diazonium-tetrafluorborat, 653

Ziegler E., s. *Akcamur Y., Wittmann H.*

Zimmerman F. M., s. *McNaney J. A.*

Zimmerman H. K., s. *McNaney J. A.*

Zipper P., Kriechbaum M., Wilfing R., Durchschlag H. The influence of additives on the X-ray induced aggregation of malate synthase. Monitoring of the aggregation process *in situ* by time-resolved small-angle X-ray scattering, 557

Zsoldos-Mády V., Zbiral E. A new approach to 6-deoxy-D-allofuranose- and 6-deoxy-*L*-talofuranose derivatives from 1,2 : 5,6-di-O-isopropylidene-α-D-glucofuranose, 1325

Zurita J. L., s. *Soria M. L. G. d.*

Sachverzeichnis/Subject Index

Absolute chiralities 1423
Absolute configuration 127
Absorption band polarization 849
Absorption spectroscopy 369, 475, 631, 805, 845, 955, 1081, 1113, 1205
Acetalization 127
Acetals 1287
Acetonitrile 1123
Acid anhydrides 545
Acid-base interaction 167
Acidic constants 661
9-Acridanones 1113
Acridans 89
3-Acylated 2-methylindoles 375
Acylation 821
Additives 557
Adsorption 453
—, from solutions 139
—, alcohols 579
—, on heterogeneous microporous solids 7
—, on heterogenous surfaces 139
Aggregation 557
Algorithm, molecular symmetry 897
Alkali thiochromites 1387
Alkaline earth thiochromites 1387
Alkoxycarbonylmethylaminobenzamides 499
Alkylaminonaphthols 1145
5-Alkylaminotetrazol-β-ribofuranosyl-nucleosides 1437
α-D-Allofuranose derivatives 1325
Alloys, liquid 1349, 1379
Amide deprotonation 955
Amidines 499
Amines, unsaturated 679
Amino acids 1205
Amino-α-azido cinnamic esters 491
4-Amino-2(1*H*)-quinolones 1305
2-Amino-5-cyano-4*H*-pyrane-3-carboxylic acid derivatives 247
α-Amino-carbonyl compounds 679
Aminoacids 345
2-Aminopropen-2-ones 1185
Amphetamins 1047
Anharmonic effects 985
Anhydrides 545
Anhydrides, cyclic, unsymmetrically spiro substituted 69
5,6-Anhydro-1,2-O-isopropylidene-α-*D*-allofuranose 1325
Anhydro-1,2-O-isopropylidene-β-*L*-talofuranose 1325
Anil 879
Aniline 821
Annelation 475
Anomeric effect, generalized 407
Anorectics 1047
Antibacterial activity 1339
Antiobesity 1047
[10]Anulene, 2,7-dibromo-1,6-oxido- and 1,6-imino 255
[10]Anulene, 2-bromo- and 2,7-dibromo-1,6-methano 255
N-Aralkoxy-alkylation, of 2,3-dimethylindole 1461
Arecoline 859
Aroma analysis 827, 1095
Arsenate, $PbCuAs_2O_7$, crystal structure 1343
Arsenite, $Cl_3Cu(I)$—$As(III)O_3$ complex 1257
Arsenite, $Pb_6Cu(AsO_3)_2Cl_7$ 1257
Arsenium, $PbCuAs_2O_7$, crystal structure 1343
Arsenium, V—P—As 773
Artemisia dracunculus 1219
N-(Arylaminosulfonyl)benzamide 123
Arylazo-4,5-diphenylimidazoles, Co, Ni, Cu(II) complexes 313
Autoxidation 185
Aza 287, 1245
Azides, unsaturated 679
Azido cinnamic esters 491
4-Azido-2(1*H*)-quinolones 1305
α-Azido-carbonyl compounds 679

α-Azidochalcones 1185
Azo coupling 805
Azo-hydrazo 599
Azoimidazole 313

Barium hydroxide catalyst 111
Barium zirconyl oxalate 21
Barium, $Ba_6FeNb_9O_{30}$ 1239
Barium, oxopalladate 465
Basic catalyst 111
Basicity 821
Benzamides, N-arylaminosulfonyl 123
Benzenoids 33
5*H*-Benzo[a]phenothiazin-5-one 327
Benzodiazepine 875
Benzofuran-2-ol, octahydro-trimethyl-4,7-methano- 407
Benzothiazolines 607
3,1-Benzoxazine-2,4-dione 499
4-Benzoyl-1,5-diphenyl-pyrazol-3-carboxylic acid 231
5-Benzoyl-2,6-diphenyl-4-hydroxy-pyridazin-3-one 231
Benzthiazin-4-one azodyes, electro-reduction 599
Bijvoet method 255
Bilatrienes-abc 849, 1081
Bile pigments, model 631
Bile pigments, s. Pyrrole pigments
Biliverdins 1205
Binary liquid mixtures, adsorption from 139
Binary mixtures, polarity 1113
Binary non-electrolyte mixtures 421
Binary solutions model 471
Biosynthesis, of coumarins 1219
2,2'-Bipyridine, complexes 47, 783, 1123
Bis(cyclopentadienyl)-pyrocatecholato-titanium(IV) complex 1003
Bis(trimethylsilyl)amine 177
1,5-Bis-(4-nitrophenyl)-3-dimethylsulfonium-formazane tetra-fluoroborate 653
1,5-Bis-(4-nitrophenyl)-3-trimethylammonium-formazane tetra-fluoroborate 653
Bismuth-lead alloys 1379
5,11-Bisnordiisophorones 205
Bond properties 1107
Borax, complex with ellagic acid 369
2-Bromopyridine, condensation with 1295
Butyldimethylsilyl/tosyl—epoxy transformation, in sugars 1325

Cadmium, copper sulfide iodide 305
Carbides 1157, 1271
Carboxamidomethyl ester, as C-protecting group 1195
Catalysis 429, 617
Catalyst, for olefin hydrosilation 617
Cathodic reduction 491, 679, 1185
Cation effects 977
Cellulase kinetics 1021
Chalcogeno halides, quaternary 305
Charge-transfer bands 51
Charge-transfer complexes 345
Chemiluminescence 89
Chimney ladder structures 921
Chiral discrimination 1205
Chiroptical and chemical correlation 255
Chiroptical properties 1423
4-Chloro-2(1*H*)-quinolones 1305
Chromatography 471
Chromium, organometallic compounds 883
α-Chymotrypsin catalyzed peptide bond formation 1195
Cimetidine 443
Circular dichroism 255, 1205
Cndo/s calculations 1057
Cobalt(II) complexes 313
Cobalt contributions 1223
Cobalt ditelluride 1223
Cobalt telluride 1223
Cobalt(II) complexes 955
Cobalt(III) complexes 955
Complex stabilities 443
Complexation 57
Complexation, with hexacarbonylchromium 883
Complexes 47, 57, 313, 345, 351, 429, 437, 443, 459, 475, 607, 617, 783, 883, 905, 941, 949, 955, 1123, 1263, 1423
Compositae 1219
Condensation distribution function 453
Condensation, of thiophene 1295
Conductances, of ions 167
Configurational stability 255
Conformation 849, 1081

Conformers 407
Constitution, alloys 1349
Coordination compounds 313
Coordination numbers 793
Coordination polyhedron 949
Copper cadmium sulfide iodide 305
Copper complexes 47
Copper mercury sulfide iodide 305
Copper(II) complexes 313, 443
Copper(II)-oxo-selenites, X-ray 887
Copper, $Cl_3Cu(I)$—$As(III)O_3$ complex 1257
—, Mn-alloys 1349
—, $Pb_6Cu(AsO_3)_2Cl_7$ 1257
—, $PbCuAs_2O_7$, crystal structure 1343
—, mechano-electrical effects 739
—, superstructures 739
Corrosion 159
Coumarin 111
Coumarins 1219
Craig distribution 1165
Crystal structure, s. X-ray
Cyanide bridging 1263
β-Cyanoethylhydrazine 201
Cyanoeferrate complex 1263
Cyclic anhydrides, unsymmetrically spiro substituted 69
Cyclic, non-carbon 287, 1245
Cyclization 867, 1405
Cyclization, C—O bond formation 221
[4 + 2]Cycloaddition 1057
Cyclosilanes 1399

Data acquisition system 1145
Degenerate vibrations 985
Deuteriated compounds 511, 533
Diamagnetic susceptibilities 421
4-α-Diamino cinnamic esters 491
3,5-Diaminopyrazole 201
Diarsenate, $PbCuAs_2O_7$, crystal structure 1343
2,9-Dibromo-syn-1,6 : 8,13-diimino- and dioxo[14]anulene 255
Dichloro-gold(III) complexes 941
p-(Dichlorosulfamoyl)benzoic acid 553
Digermanate, X-ray 969
3,4-Dihydro-5(1*H*)-pyrromethenones 185
(15*E*)-2,3-Dihydrobilatriene-abc, X-ray 1413
2,3-Dihydrobilatrienes-abc 1081
Dihydropyrromethenones 185
Dihydroxy-epoxy transformation, in sugars 1325
Dimethyl fumaric ester 1027
Dimethylamine 335
2,3-Dimethylindole, N-aralkoxy-alkylation 1461
Dimethylmaleic ester 1027
Dimethylsulfonium-trifluoroacetylmethylide 821
Dinitrogen complexes 429
1,3-Dioxolanes, substituted 1287
5(2*H*)-Dipyrrylmethanones 185
Disinfectant action 553
Disinfection of living tissues 1011
Dissociation constant 459
Dissolution kinetics 763
Dithio-oxolinic acid 1339
1,3-Dithiolo[4,5—*f*]quinoline 1339
1,3-Dithiolo[4,5—*g*]quinoline 1339
N,N′-Ditosyl-sulphurdiimide 269
Dynamic equilibria, by NMR 841

Electrochemistry 151, 167, 327, 459, 491, 599, 679, 739, 1123, 1133, 1185
Electrolytes, nonaqueous 739
3d-Electrons 1223
Electroosmosis 1133
Ellagic acid 369
Enantiomeric selectivity 127, 407
Entropy of formation 151
Enzymatic deprotection 1195
Enzymatic hydrolysis 1021
Epoxidation 859
Erbium oxide 1165
Erbium(III) 573
Essential oil 827, 1095
Ethers 1287
Ethylcobalt(III) complexes 351
Ethyldiazoacetate 429
Excess molar diamagnetic susceptibilities 421
Extraction 933
Extraction, rare earth metal ions 573

Falling spheres 753
Fibers 1133
Fine structure analysis 1007
Fluorescence 1113
Fluorescence lifetime 1113
Fluorescence quantum yield 1113
Fluorescence spectra 369

Fluorodiazadiphosphetidines 287, 1245
Formazyl compounds 653
Free energy, enzyme-substrate 1021
—, solution 1
Free iodine, determination 1011
6-Furan-2-yl-thiazolo[2,3—*a*]pyridines 105
2,3-Furanodiones 671

Gallium 1157
Gas adsorption 7
Gas chromatography 127
Gas chromatography/MS 827, 1095
Gas liquid chromatography 827, 1095
Gas phase reactions 1027
Gas reactions 1027
Generalized anomeric effect 407
Genetic bases 345
Germanante, X-ray 969
Germanide, molybdenum 921
Glass structure model 799
4-Glucopyranosylamino-5-nitroso-6-oxo-pyrimidines 905
Glycosylazides 1437
Gold(III) complexes 905, 941
Gould-Jacobs reaction 1339
Gravitational fields 753
Grimm-Sommerfeld compounds 1367

Halazone 553
Halogen exchange 385
Halogen/methyl exchange 613
Headspace analysis 827
Headspace gas chromatography 1027
Heat capacity 1223
Herniarin, biosynthesis 1219
Heterocycles 57, 68, 89, 97, 105, 159, 185, 201, 221, 231, 247, 287, 313, 375, 385, 437, 443, 475, 499, 599, 607, 621, 661, 671, 841, 859, 867, 875, 879, 905, 941, 1091, 1245, 1263, 1287, 1295, 1305, 1339, 1413, 1437, 1461
Heterocyclic, N—P 287, 1245
Hexagonal solid solution phase 773
Hexapotassiumdigermanate, X-ray 969
High pressure phases 1367
High temperature mass spectroscopy 695
High viscosity 753
Hoffman-Forsén method 841
Holmium(III) complexes 437
Hydroazo-azo 599
Hydrolysis 393
Hydrosilation, catalyst for 617
Hydrothermal synthesis 1343
3-Hydroxy-2-methyl-1,4-naphthoquinone 459
2-Hydroxy-4-methoxy-*trans*-cinnamic acid 1219
7-Hydroxy-prostaglandins 1177
Hydroxylamino-α-azido cinnamic esters 491
Hydroxylamino-N-sulfonates 359
Hydroxymethanesulfonates 359
2(2-Hydroxyphenyl)2*H*-benzotriazoles 805
2-Hydroxyphenylaceto(benzo)-phenones 805

Icosahedral potentials 985
Imido-chloride 177
Indium 1157
Indium telluride, vaporization 695
Indoles 375
Inotropic effect 867
Inversion of configuration 1073
Iodine containing disinfectants 1011
Iodine, determination 1011
Ion-pair charge transfer 51
Ion-pair separation 345
Ir, s. Vibrational spectra
Iron, $Ba_6FeNb_9O_{30}$ 1239
Iron, corrosion 159
Isotherm equations 7, 139
Isotopically dilute HDO 977
Isoxazolines 1091

Kekulé structures 33
Ketyl-radical anion 1405
Kinetics 21
Kinetics, enzyme 1021
Kinetics, of dissolution 763
Kinetics, of nitrosation 335
Knudsen effusion 695

Lactim ethers, condensation with 1295
Lanthanide induced shifts 631
Lanthanide nitrato complexes 949
Lanthanide separation factor 933
Lanthanides 459, 933
Lattice parameter 713
Lattice parameters, Ni—Sb—Te 729
Lawesson reagent 621
Layered thiochromites 1387

Lead, $Pb_6Cu(AsO_3)_2Cl_7$ 1257
Lead, $PbCuAs_2O_7$, crystal structure 1343
Lead-bismuth alloys 1379
Le Chatelier principle 1367
Lin-benzo-xanthines 879
Lin-pyrazino-xanthines 879
Lin-pyrido-xanthines 879
Linear dichroism 849
Linear homopolymer subtrates 1021
Linear structures, series of inhomogenous— 921
Liquid adsorption 7
Liquid alloys 1349, 1379
Lutetium(III) complexes 437
Lutetium(III), extraction 573

Magnesium oxide, dissolution kinetics 763
Magnetic fields 753
Magnetic moments 955
Magnetic properties, Ni—Sb—Te 729
Magnetic susceptibility 1349
Magnetization transfer 841
Main component analysis 51
Malate synthase 557
Manganum rich, Cu—Mn and Mn—Sn alloys 1349
Manganum-P type structure 773
Mass spectroscopy, high temperature 695
—, metastable transitions 1003
—, stilbenes 533
Mean amplitudes of vibration 1107
Mechanism 621, 1041
Mechano-electrical effects, copper 739
Melting behaviour, Ni—Sb—Te 729
Mercury, copper and silver sulfide halides 305
—, silyl compounds 721
Metallo-en reaction, type I 1073
Metastable ion analysis 533
Metastable phases (compounds) 1367
Methanobenzofuran-2-ol, octahydro-trimethyl- 407
Methyl-2-thiazolin-4-one 105
2-Methylindoles 375
Micelles 589, 1081
Michael acceptors 247
Michael addition 105
Michaelis-Menten constant 1021
Microcomputers 1145
Microhardness 275
Microporous adsorbents 453
Microporous solids 7
Microprocessor 6502 1145
Mixtures of non-electrolytes 421
Molecular polarizabilities 421
Molecular size of component 139
Molybdenum cementite 55
Molybdenum complexes 429
Molybdenum germanide 921
Multilayer liquid adsorption 573

Naphthalene phosphorescence 1007
Nef reaction 1177
Neodymium bariumoxopalladate 465
Neodymium nitrate 949
Neutron diffraction, pyrene 295
Nickel(II) complexes 313, 351
Nickel—As-phase, Ni—Sb—Te 729
Nickel—As type structure 773
Nickel—Sb—Te 729
Niobium nitride, B1 275
Niobium, $Ba_6FeNb_9O_{30}$ 1239
Nitric acid solution, corrosion in 159
Nitride, vanadium 713
Nitrido-chloride 177
Nitrile—N-oxides 1091
Nitrite esters 335
Nitro-α-azido cinnamic esters 491
4-Nitrophenyl-diazonium tetrafluoroborate 653
Nitrosation, kinetics 335
N-Nitrosodimethylamine 335
NMR, ^{13}C 205, 231, 351, 1279
—, ^{1}H 351, 689, 859
—, ^{15}N 231
—, ^{29}Si 613, 799
—, dynamic equilibria 841
Nonaqueous electrolytes 739
Norpatchoulenol, analogue 1405
Nuclear *Overhauser* effect 631
Nucleophilic 1,4-addition 1177
Nucleophilic addition 57
Nucleoside analogues 1437

Odour 827, 1095
Odour, patchouli 1405
Olefin hydrosilation, catalyst for 617
Oligomeric polynuclear titanocen-diolen complex 1003
Oligosilanes 721

Optical resolution 1423
Organoleptic evaluation 827, 1095
Organometallic 1003, 1423
Organometallic compounds, chromium 883
1,3-Oxazolidines 545
Oxazolo[5,4—*c*]pyridazines, ring opening of 221
Oxidation 1041
7-Oxo-prostaglandins 1177
Oxo-thio exchange 1295
3-Oxoalkanenitriles, 4,5-unsaturated 247
Oxolinic acid 1339
Oxygen 131

Palladates 465
Palladium(II) complexes 905
Papain catalyzed peptide bond formation 1195
Paramagnetism, *Pauli-* 773
Patchouli oil 1095
(±)-Patchouli-alcohol 1095
Pauli paramagnetism 773
$Pb_2Cu_3O_2(NO_3)_2(SeO_3)_2$, crystal structure 1099
$PbCu_3(OH)(NO_3)(SeO_3)_3 \cdot ½ H_2O$, crystal structure 1099
Pentacyano(4,4′-bipyridine)ferrate(II) 1263
Pentapyrrin 57
Peptide synthesis 1195
Perturbation theory 1057
Phase diagram, Ni—Sb—Te 729
1,10-Phenanthroline, silver complexes 1123
Phendimetrazine 1047
Phenobarbital 443
Phospha 287, 1245
Phosphazene 429
Phosphorescence, naphthalene 1007
Phosphorus, V—P—As 773
Photochemical ligand exchange 1423
Photochemistry 617
Phthalic acid, complexes 47
Phthalic anhydride, reaction with 1,3-oxazolidines 545
Phytochrome model compounds 1413
Pka-values 57, 1081
Planarchiral compounds 255
Plastic deformation, of electrode 739
Platinum(II) complexes 351
Platinum complex, supported 617
Pleuromutilin 1073
Point groups, determination 897
Polarity, binary mixtures 1113
Polarization, of absorption band 849
Polarographic reduction 327
Polarography 167, 599
Polymer melts 753
Polymeric species 589
Polymers, functional 805
5,6-Polymethylenepyrimidin-4(3*H*)-ones 97
Polymethylenethieno[2,3—*d*]heterocycles 1295
Polynuclear titanocene complex 1003
Polysilanes 613
Potassium silicate glasses 799
Potassium silyl compounds 721
Potassium germanate, X-ray 969
Potential antidotes 661
Potentiometry 459
Prostaglandin analogues, 7-hydroxy- 1279
Prostaglandin analogues, 7-oxo- 1279
Protease catalyzed peptide synthesis 1195
Providone-iodine preparations 1011
Prussian blue analogues 1263
Pyrazino-xanthines, lin- 879
Pyrazoles 201, 875
Pyrene 295
N-Pyridazin-5-ylformamide oximes 221
N-Pyridazin-5-ylformamidines 221
Pyridazino-triazine 867
Pyridazinone, substituted, X-ray 231
Pyridine carbaldehyde 1145
Pyridine-4-carbaldehyde 841
Pyrido-xanthines, lin- 879
1-(2-Pyridylazo)-2-naphthol 573, 933
1-(2-Pyridylazo)-2-naphthol, Ho(III) and Lu(III) complexes 437
Pyrimidines, 5-ethylsulfonyl-methyl- 385
Pyrimidines, 5-ethylthiomethyl- 385
Pyrrole pigments 57, 185, 631, 849, 1081, 1413
3-Pyrrolin-2-ones, 5-methylene disubstituted 631
Pyrromethenes 849
Pyrromethenones 849

Quasi-thermodynamic 1
Quenching 89
Quinazolin-4-on-1-yl-acetic acid 499
Quinazoline carboxylic acids 499
Quinoline 875
Quinolinium oximes 661
Quinones 1057

Radiation damage 557
Radical cations 151
Radioprotection 557
Raman spectra 613
Rare earth bariumoxopalladates 465
Rare earth complexes 573, 783
Rare earth elements 1165
Reaction rate constant, enzymatic hydrolysis 1021
[1,2]-Rearrangement 269
Redox potentials, during plastic deformation of electrode 739
Redox systems 1123
Reduced cells 793
Reduction 69
Reduction, carbothermal 1271
Reduction, homogeneous 359
Reductive cyclization 805
Regioselective reduction 69
Residual diastereomers 883
Retro-en cleavage 1073
Reversible retro-en cleavage 1073
N-β-Ribofuranosyl-N′-alkyl-carbodiimides, synthesis, reaction 1437
Rotating disc, kinetics study 763
Rotenoids 689
Rotenone 689

Salicylates, halogenation of 393
Salt solubilities 1
Salt solutions 977
Samarium, bariumoxopalladate 465
Sandalwood oil 827
Sandmayer reaction 393
β-Santalal 827
α-Santalene 827
β-Santalol 827
Sarin 1027
ScN′-reaction 1405
Scandium(III)oxide carboreduction 1271
Scandium, Sc_2OC, $Sc_{15}C_{19}$ 1271
Schiff base complexes 351, 607
Secondary alcohols, absolute configuration 127
Seleninyl halides 1107
Selenites, X-ray 887
p-Semiquinones 151
Seth-Paul-Van Duise equation 97
Silanes 613
Silanes, cyclo- 1399
Silanes, oligo- 721
Silicates, potassium-, glasses 799
Silicide, technetium 921
Silver complexes 1123
Silver mercury sulfide halides 305
Silyl compounds 721
Silylene generation 1399
Silylimides 177
Simmons-Smith reaction 1073
Small-angle X-ray scattering 557
Sniffing technique 827, 1095
Sodium bromide, conductancies of ions 167
Sodium carboxymethylcellulose 1021
Sodium deoxycholate 589
Sodium orthogermanate, crystal structure 793
Sodium orthosilicate, crystal structure 793
Solid solution phase, hexagonal 773
Solubility 471, 589
Solubility of KCl 1
Solubility of salts 1
Solvent effects 51
Solvent polarity 1
Spin density 151
Spin saturation 841
Spiro 69, 1245
Stability, carbides 1157
Stability constants 459
Stability constants, Ho and Lu complexes 437
Stability constants, stepwise 949
Stereochemistry 127, 255, 407, 631, 689, 849, 883, 897, 1073, 1081, 1325, 1423
Stereospecific transformation, dihydroxy-epoxy in sugars 1325
Stilbenes, cleavage under EI 533
Stilbenes, *o*-substituted 511
Streaming potential 1133
Streching frequencies, C=O 97
Stretching frequencies, HDO 977
Structural heterogeneity 453
Structural heterogeneity, of solids 7

Substituent effects 97, 475
Sugar derivatives 1325, 1437
Sulfinamidine 269
Sulfurdioxide anion radical 359
Superstructures, copper 739
Supported platinum complex 617
Surface heterogeneity 139
Susceptibilities 421
Symmetrie determination 897
Symmetry of molecules 897

β-*L*-Talofuranose derivatives 1325
Technetium silicide 921
Ternary liquid mixtures 579
Tetra-(2,3-anthra)-tetraazaprophins 475
Tetraazaprophins 475
Tetrafluoroborates, di- and trialkoxycarbencium 375
Thallium 1157
Theophylline 941
Thermal decomposition 21, 783
Thermal expansion 275, 713
Thermal studies, complexes 905
Thermodynamic properties, liquid alloys 1379
Thermodynamics 1, 151, 471, 695, 1021, 1157, 1223, 1379
Thermophysics 1223
Thiazolidine-4,5-diones 671
Thieno[2,3—*d*]dihydropyrrolo-4-ones and -thiones 1295
Thieno[2,3—*d*]tetrahydroazepino[1,2—*a*]pyrimidin-4-ones and -thiones 1295
Thieno[2,3—*d*]tetrahydropyrido-4-ones and -thiones 1295
Thienospiro anhydrides 69
Thio-oxo exchange 1295
Thiochromites, alkali- and alkaline earth- 1387
6-Thiophen-2-yl-thiazolo[2,3—*a*]-pyridines 105
Thiophene 159
Thiophenes, fused 621
Thiophenes, with bridgehead nitrogen 1295
Time-resolved small-angle X-ray scattering 557
Tin tetraacetate 607
Tin(II) chloride, as catalyst 1461
Tin(IV) *Schiff* base complex 607
Tin, Mn—Sn alloys 1349
Titanocen complex 1003
Topotactic ion exchange 1387
Torsion effusion 695
Torsional barrier 883
4-*p*-Tosyloxy-2(1*H*)-quinolones 1305
Transacetalization 1287
Transition metal complexes 313
Triacetylcellulose 1423
Triazino-triazolo-pyridazine 867
Triazoles 201
Triazolo-pyridazine 867
Tricarbonylchromium complexes 1423
Tricyclo[7.3.1.$0^{2,7}$]tridecanes 205
Trimethylammonium-trifluoroacetyl-methylide 821
4,11,11-Trimethyltricyclo[5.3.1.$0^{5,8}$]-undec-4-en-7-ol 1405
Trimethylxanthine 941
Tris(chlorodimethylsilyl)methylsilan 613
Tungsten complexes 429
Type I-"metallo-en" reaction 1073
Tyrosine 1041

Ultraviolet stabilizers 805
Uretidine-nucleosides 1437
Uv-vis, s. Absorption spectroscopy

Vacancy concentration 275
Valence electron concentration rules 1367
Vanadium 131
(B1)-Vanadium nitride 713
Vanadium(V) 1041
Vanadium, V—P—As 773
Vaporization chemistry 695
Vibrational spectra 97, 105, 123, 613, 631, 783, 955, 977, 985, 1007, 1107
Vibronic spectral behaviour 1007
Viscosimetry 753

Wittig-Horner reaction 1177

Xanthines 879
X-ray, AgHgSI 305
—, $Ba_6FeNb_9O_{30}$ 1239
—, $BaCuNd_2O_5$ 465
—, $BaPdNd_2O_5$ 465
—, $BaPdSm_2O_5$ 465
—, 5-Benzoyl-2,6-diphenyl-4-hydroxy-pyridazin-3-one 231

—, $Cu_2Cd_3S_2I_4$ 305
—, $Cu_4O(SeO_3)_3$-II (monoclinic) 887
—, $Cu_4O(SeO_3)_3$-II (triclinic) 887
—, $Cu_2O(SeO_3)$-I (cubic) 887
—, $Cu_2O(SeO_3)$-II (monoclinic) 887
—, [Cu(phthalate)(2,2′-bipyridine)] · 2 H_2O 47
—, Dihydrobilatriene-abc, (15*E*)-2,3- 1413
—, $K_6Ge_2O_7$ 969
—, $Mo_{12}Fe_{22}C_{10}$ (ξ-phase) 55
—, Na_4GeO_4 793
—, Na_4SiO_4 793
—, NbN_{1-x} 275
—, $Pb_2Cu_3O_2(NO_3)_2(SeO_3)_2$ 1099
—, $Pb_6Cu(AsO_3)_2Cl_7$ 1257
—, $PbCu_3(OH)(NO_3)(SeO_3)_3 \cdot ½ H_2O$ 1099
—, $PbCuAs_2O_7$ 1343
—, Pyrenes 295
—, $Zn_4V_2O_9$ 131

Ylidenethiazolo[2,3—*a*]pyridine 105

Zen's law 1367
Zetapotential 1133
Zinc 131
Zinc oxovanadate, X-ray 131